




FORMULÆ
USED IN THE
MEDICAL DEPARTMENT
GENERAL POST OFFICE
1886.


REVISED AND RE-ARRANGED ACCORDING
TO THE BRITISH PHARMACOPŒIA OF
1898.



22102083641

Med

K13764





FORMULÆ

USED IN THE

MEDICAL DEPARTMENT,
GENERAL POST OFFICE,
1886.

REVISED AND RE-ARRANGED ACCORDING
TO THE BRITISH PHARMACOPŒIA OF
1898.

6955



FORMULE

COPIES OF THE

MEDICAL DEPARTMENT

GENERAL POST OFFICE

31526430

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call	
No.	QV

FORMULÆ.

Arranged according to B. P. 1898.

BALNEUM.

BALNEUM SULPHURATUM.

℞ Potass : Sulphurat : $\frac{3}{4}$ iv.

To be dissolved in 20 gallons of hot water.

CAPSULÆ.

CAPSULA AMYL : NITRITIS : ℥ iii (Martindale).

CAPSULA CREASOTI : ℥ ii.

CAPSULA GUAIACOLIS : ℥ ii.

CHARTA.

CHARTA SINAPIS (Rigollot's : 5 × 3).

COLLODIA.

COLLODIUM (B. P.).

COLLODIUM FLEXILE (B. P.).

COLLODIUM FLEXILE COMPOSITUM.

℞ Acid : Salicylic : $\frac{3}{4}$ i.
Ext : Cannabis : Indic : gr. viii.
Collod : Flexil : $\frac{3}{4}$ ss.

Dissolve.

A (5)5494. 1000.—8/99. Wt. 18092. E. & S. A 2

CONFECTIO.

CONFECTIO SENNÆ (B. P.).

Dose ʒ i to ʒ ii.

DECOCTA.

DECOCTUM ALOES COMPOSITUM (B. P.).

Dose ʒ iv to ʒ ii.

DECOCTUM TRITICI REPENTIS.

℞ Tritici : Repent : ʒ i.
 Aq : Destill : 0 i.

Boil for 10 minutes in a covered vessel and strain.

Dose ʒ ii.

EMPLASTRA.

EMPLASTRUM BELLADONNÆ (B. P.).

EMPLASTRUM CANTHARIDIS (B. P.).

FOTUS.

FOTUS ACIDI BORICI.

Boric lint to be dipped in hot water, lightly
 wrung out and applied under oiled silk.

FOTUS BELLADONNÆ.

℞ Extract : Belladonnæ : gr v.
 Aq : ad ʒ i.
 Mix. To be used warm.

COMMITTEE

CONFERENCE BOARD (R. 1)

1885-1886

DEBATE

DEBATE ALONG COMPOSITION (R. 1)

1885-1886

DEBATE IN THE KENNEDY

1885-1886

1885-1886

Ball for 10 minutes in covered vessel and return.

1885-1886

DEBATE

DEBATE IN THE KENNEDY (R. 1)

DEBATE IN THE KENNEDY (R. 1)

DEBATE

DEBATE IN THE KENNEDY

1885-1886

1885-1886

DEBATE IN THE KENNEDY

1885-1886

1885-1886

1885-1886

1885-1886

1885-1886

*FOTUS—(continued).***FOTUS PAPAVERIS.**

℞ Capsul: Papaveris : $\bar{3}$ i.

Aq : $\bar{3}$ xl.

Boil and strain. To be used warm.

FOTUS TEREBINTHINÆ.

℞ Ol : Terebinth : $\bar{3}$ ii.

To be sprinkled on a piece of flannel wrung out in hot water.

*GARGARISMATA.***GARGARISMA ACIDI CARBOLICI.**

℞ Glycerin : Acid : Carbolic : ℥ x.

Aq : ad $\bar{3}$ i.

GARGARISMA ACIDI TANNICI.

℞ Acid : Tannic : gr. x.

Sp : Vin : Rect : ℥ v.

Inf: Rosæ : Acid : $\bar{3}$ ii.

Aq : ad $\bar{3}$ i.

GARGARISMA AERUGINIS.

℞ Cupri : Subacetat : gr. $\frac{3}{4}$.

Aceti : ℥ v.

Mellis : ℥ v.

Aq : Calcis : ad $\bar{3}$ i.

GARGARISMATA—(continued).

GARGARISMA ALUMINIS.

℞ Alumin : gr. xv.
 Glycerin : ʒ ss.
 Aq : ad ʒ i.

GARGARISMA ALUMINIS COMPOSITUM.

℞ Alumin : gr. v.
 Acid : Sulph : dil : ℥ x.
 Tinct : Myrrh : ℥ xx.
 Aq : ad ʒ i.

GARGARISMA BORACIS.

℞ Pulv : Boracis : gr. xx.
 Tinct : Myrrh : ℥ xl.
 Aq : ad ʒ i.

GARGARISMA CAPSICI ACIDUM.

℞ Tinct : Capsici : ℥ v.
 Acid : Nit : dil : ℥ x.
 Aq : ad ʒ i.

GARGARISMA CHLORI.

℞ Liq : Chlori : ℥ x.
 Aq : ad ʒ i.

GARGARISMA HYDRARGYRI PER-
 CHLORIDI.

℞ Liq : Hydrarg : Perchlor : ʒ ii (= gr. $\frac{1}{8}$).
 Acid : Hydrochlor : dil : ℥ v.
 Aq : ad ʒ i.

GARGARISMATA—(continued).

GARGARISMA POTASSII CHLORATIS.

℞ Potass: Chlorat: gr. xv.
 Glycerin: ʒ ss.
 Inf: Rosæ: Acid: ʒ ii.
 Aq: ad ʒ i.

GARGARISMA POTASSII PERMANGAN-
ATIS.

℞ Liq: Potass: Permangan: ℥ x.
 Aq: ad ʒ i.

GARGARISMA SODÆ CHLORINATÆ.

℞ Liq: Sod: Chlorinat: ℥ x.
 Aq: ad ʒ i.

GLYCERINA.

GLYCERINUM ACIDI TANNICI (B. P.).

GLYCERINUM BELLADONNÆ.

℞ Extract: Belladonnæ: ʒ iv.
 Aq: ʒ i.
 Glycerin: ad ʒ i.

GLYCERINUM BORACIS (B. P.).

GLYCERINUM PEPSINI (B. P.).

Dose ʒ i to ʒ ii.

GLYCERINUM PLUMBI SUBACETATIS
(B. P.).

GUTTÆ.

NOTE.—Guttæ will be dispensed in $\frac{3}{4}$ ii bottles unless otherwise ordered.

GUTTÆ ACIDI BORICI.

℞ Acid : Boric : gr. x.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ ALUMINIS.

℞ Alum : gr. iv.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ ALUMINIS ET BORACIS.

℞ Alum : gr. iii.
 Boracis : gr. v.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ ALUMINIS CUM BELLADONNÂ.

℞ Alum : gr. iii.
 Ext : Belladonnæ : gr. v.
 Aq : $\frac{3}{4}$ i.
 Mix and filter.

GUTTÆ ARGENTI NITRATIS.

℞ Argent : Nitrat : gr. i.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ ATROPINÆ SULPHATIS.

℞ Atrop : Sulphat : gr. i.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ—(continued).*GUTTÆ ATROPINÆ CUM ALUMINE.*

℞ Atrop : Sulph : gr. i.
 Alum : gr. iii.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ COCAINÆ.

℞ Cocain : Hydrochlor : gr. x.
 Acid : Salicyl : gr. $\frac{1}{2}$.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ CUPRI SULPHATIS COMPOSITÆ.

℞ Cupri : Sulph : gr. i.
 Alum : gr. i.
 Potass : Nitrat : gr. i.
 Aq : $\frac{3}{4}$ i.

GUTTÆ ESERINÆ.

℞ Eserin : Sulph : gr. $\frac{1}{2}$.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ ZINCI CHLORIDI.

℞ Zinc : Chlorid : gr. i.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ ZINCI SULPHATIS

℞ Zinc : Sulph : gr. ii.
 Aq : Destill : $\frac{3}{4}$ i.

GUTTÆ—(continued).**GUTTÆ ZINCI SULPHATIS CUM ALUMINE.**

℞ Zinc : Sulph : gr. i.
 Alum : gr. iii.
 Aq : Destill : ʒ i.

*HAUSTUS.***HAUSTUS EMETICUS.**

℞ Vin : Ipecac : ʒ iv.
 Zinc : Sulph : gr. xx.
 Aq : ad ʒ i ss.

HAUSTUS FILICIS MARIS.

℞ Ext : Filicis : Liquid : ʒ i.
 Pulv : Tragacanth : Co. : ʒ i.
 Syr : Zingiber : ʒ i.
 Aq : ad ʒ i ss.

*LINCTI.***LINCTUS MORPHINÆ COMPOSITUS.**

℞ Liq : Morph : Hydrochlor : ℥ vii.
 Sp : Chloroform : ℥ viii.
 Aq : Lauro-Cerasi : ℥ viii.
 Syr : Limonis : ʒ ss.
 Glycerin : ad ʒ i.
 Dose ʒ i.

LINCTI—(continued).

LINCTUS OPIATUS.

℞ Tinct : Opii : ℥ ii.
 Acid : Sulph : dil : ℥ iv.
 Glycerin : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i ad ʒ ii.

LINCTUS SCILLÆ.

℞ Tinct : Camph : Co :
 Syr : Tolutani :
 Oxymel : Scillæ : āā ℥ xx.
 Dose ʒ i.

LINIMENTA.

LINIMENTUM ACONITI (B. P.).

LINIMENTUM BELLADONNÆ (B. P.).

LINIMENTUM CALCIS (B. P.).

LINIMENTUM CAMPHORÆ AMMONIATUM
(B. P.).

LINIMENTUM CHLOROFORMI (B. P.).

LINIMENTUM SAPONIS (B. P.).

LINIMENTA—(continued).

LINIMENTUM STIMULANS :

℞ Tinct : Opii :
 Tinct : Cantharid :
 Lin : Camph : Amm : āā ʒ i ss.
 Lin : Saponis : ad ʒ i.

LINIMENTUM TEREBINTHINÆ (B. P.).

LINIMENTUM TEREBINTHINÆ ACETI-
CUM (B. P.).*LOTIONES.*

LOTIO ACIDI BORICI.

℞ Acid : Boric : gr. xv.
 Aq : ad ʒ i.

LOTIO ACIDI CARBOLICI.

℞ Acid : Carbolic : Liquefact : q : s :
 Aq : ad ʒ i.

LOTIO ACIDI SULPHUROS.

℞ Acid : Sulphuros : ʒ ii.
 Aq : ad ʒ i.

LOTIO ACIDI HYDROCYANICI.

℞ Acid : Hydrocyan : dil : ʒ ss.
 Aq : ad ʒ i.

LOTIONES—(continued).LOTIO ACIDI HYDROCYANICI COM-
POSITA.

℞ Acid : Hydrocyan : dil : ℥ xv.
 Zinc : Oxid : ℥ i.
 Glycerin : ℥ ii.
 Pulv : Calamin : ℥ i.
 Aq : Rosæ : ad ℥ i.

LOTIO ALKALINA.

℞ Sod : Bicarb : gr. x ii.
 Acid : Carbolic : liq : ℥ i ss.
 Aq : ad ℥ i.

LOTIO ALUMINIS.

℞ Aluminis : gr. xv.
 Aq : ad ℥ i.

LOTIO ARGENTI NITRATIS.

℞ Argent : Nitratis : gr. iv.
 Aq : Destill : ℥ i.

LOTIO BORACIS COMPOSITA.

℞ Boracis : gr. v.
 Glycerin : ℥ xx.
 Ammon : Carb : gr. v.
 Acid : Hydrocyan : dil : ℥ x.
 Aq : ad ℥ i.

LOTIONES—(continued).

LOTIO BISMUTHI ET ZINCI.

℞ Bismuth : Oxid :
 Zinci : Oxid : āā gr. xx.
 Glycerin : ʒ i.
 Aq : ad ʒ i.

LOTIO CALAMINÆ.

℞ Calaminæ : gr. xxx.
 Zinc : Oxid : gr. xx.
 Glycerin : ʒ i.
 Aq : ad ʒ i.

LOTIO CUPRI.

℞ Cupri : Sulph : gr. i.
 Aq : Destill : ʒ i.

LOTIO HYDRARGYRI FLAVA (B. P.).

LOTIO HYDRARGYRI NIGRA (B. P.).

LOTIO HYDRARGYRI PERCHLORIDI.

℞ Hydrarg : Perchlor : gr. i.
 Aq : Destill : ʒ i.

LOTIO IODI.

℞ Tinct : Iodi : ʒ ss.
 Aq : ad ʒ i.

LOTIONES—(continued).

LOTIO PICIS CARBONIS.

℞ Liq: Picis: Carb: ʒ ss.
 Aq: ad ʒ i.

LOTIO PLUMBI EVAPORANS.

℞ Liq: Plumb: Subacetat: fort: ℥ x.
 Sp: Vin: Rect: ʒ ii.
 Aq: Destill: ad ʒ i.

LOTIO PLUMBI CUM OPIO.

℞ Extract: Opii: Liquid: ʒ i.
 Lot: Plumb: Evap: ad ʒ i.

LOTIO POTASSII PERMANGANATIS.

℞ Liq: Potass: Permangan: ℥ xxx.
 Aq: Destill: ad ʒ i.

LOTIO PRO PEDIBUS.

℞ Acid: Acet: Aromat: ʒ ss.
 Aq: ad ʒ i.

LOTIO RUBRA.

℞ Zinc: Sulphat: gr. ii.
 Tinct: Lavandul: Co: ℥ x.
 Aq: Destill: ad ʒ i.

LOTIO STIMULANS PRO CALVITIÂ.

℞ Tinct: Cantharid: ʒ i ss.
 Liq: Ammoniæ: ℥ xl.
 O!: Rosmarin: ℥ ss.
 Sp: Vin: Rect: ʒ iv.
 Aq: Rosæ: ad ʒ i.

*LOTIONES—(continued).***LOTIO SULPHURIS.**

Sulphur: Præcipitat: gr. xv.

Sp: Vin: Rect: ℥ xv.

Glycerin: ℥ x.

Aq: Calcis: ʒ ii.

Aq: Rosæ: ad ʒ i.

LOTIO ZINCI SULPHATIS.

℞ Zinci: Sulphat: gr. ii.

Aq: Destill: ʒ i.

LOTIO ZINCI SULPHO-CARBOLATIS.

℞ Zinc: Sulpho-Carbolat: gr. iv.

Aq: Destill: ʒ i.

*MISTURÆ.***MISTURA ACIDI GALLICI COMPOSITA.**

℞ Acidi: Gallici: gr. x.

Acid: Sulph: Aromat: ℥ x.

Tinct: Digital: ℥ v.

Extract: Ergot: Liquid: ℥ xxx.

Aq: ad ʒ i.

Dose ʒ i.

MISTURA ACIDI NITRO-HYDROCHLORICI.

℞ Acid: Nit-Hyd: dil: ℥ x.

Tinct: Nuc: Vom: ℥ v.

Tinct: Aurantii: ʒ ss.

Aq: ad ʒ i.

Dose ʒ i.

MISTURÆ—(continued).**MISTURA ACIDI PHOSPHORICI COM-
POSITA.**

℞ Acid : Phosph : dil : ℥ x.
 Liq : Strychninæ : ℥ iv.
 Tinct : Gent : Comp : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA ALBA.

℞ Magnes : Sulphat : ʒ i.
 Magnes : Carb : gr. xv.
 Aq : Menth : Pip : ad ʒ i.
 Dose ʒ i.

MISTURA AMMONIÆ CUM ÆTHERE.

℞ Sp : Chloroform ;
 Sp : Ammon : Aromat :
 Sp : Æth : āā ℥ xx.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA ARSENII ACIDA.

℞ Liq : Arsenii : Hydrochloric : ℥ v.
 Tinct : Card : Co : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA ARSENII ALKALINA.

℞ Liq : Arsenical : ℥ v.
 Tinct : Card : Co : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).**MISTURA ARSENII COMPOSITA.**

℞ Liq : Arsen et Hydrarg : Iodid : ℥ x.
 Tinct : Card : Co : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA ASAFETIDÆ COMPOSITA.

℞ Tinct : Asafetid : ℥ xxx.
 Tinct : Valerian : Ammon : ℥ xxx.
 Aq : Camphor : ad ʒ i.
 Dose ʒ i.

MISTURA ASTRINGENS.

℞ Acid : Sulph : Aromat : ℥ x.
 Sp : Chloroform : ℥ xv.
 Tinct : Camph : Comp : ʒ i.
 Decoc : Hæmatoxyl : ad ʒ i.
 Dose ʒ i.

MISTURA ASTRINGENS FORTIOR.

℞ Ammon : Carb : gr. v.
 Pulv : Cret : Aromat : gr. x.
 Tinct : Catechu : ʒ ss.
 Tinct : Opii : ℥ x.
 Syr : Zingiber : ʒ i.
 Aq : Cassiæ : ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).**MISTURA BISMUTHI COMPOSITA.**

℞ Bismuth : Carb : gr. xx.
 Magnes : Carb : gr. xv.
 Mucilag : Acac : q : s :
 Tinct : Calumb : ℥ xx.
 Sp : Chloroform : ℥ xv.
 Aq : ad ʒ i.

Dose ʒ i.

MISTURA BISMUTHI ET FERRI.

℞ Ferri : Carb : Saccharat : gr. x.
 Mist : Bismuth : Comp : ʒ i.

Dose ʒ i.

MISTURA BISMUTHI CUM GENTIANÂ.

℞ Liq : Bismuthi et Ammon : Cit : ʒ i.
 Sod : Bicarb : gr. xv.
 Tinct : Gent : Comp : ʒ ss.
 Aq : ad ʒ i.

Dose ʒ i.

MISTURA BUCHU COMPOSITA.

℞ Potass : Bicarb : gr. xx.
 Tinct : Hyoseyam : ℥ xxx.
 Sp : Chloroform : ℥ xv.
 Inf : Buchu : ad ʒ i.

Dose ʒ i.

MISTURÆ—(continued).**MISTURA CARDAMOMI COMPOSITA.**

℞ Liq: Bismuth: ʒ i.
 Sp: Chloroform: ʒ xv.
 Tinct: Nuc: Vom: ʒ v.
 Acid: Hydrocyan: dil: ʒ iii.
 Liq: Morph: Hydrochlor: ʒ v.
 Tinct: Card: Comp: ʒ ss.
 Aq: ad ʒ i.
 Dose ʒ i.

MISTURA CARMINATIVA.

℞ Tinct: Capsici: ʒ v.
 Tinct: Card: Co: ʒ ss.
 Aq: Arethi: ad ʒ i.
 Dose ʒ i.

MISTURA CASCARILLÆ COMPOSITA.

℞ Acid: Nit: dil: ʒ x.
 Acet: Scillæ: ʒ xv.
 Tinct: Camph: Co: ʒ ss.
 Inf: Cascarill: ad ʒ i.
 Dose ʒ i.

MISTURA CHLOROFORMI COMPOSITA.

℞ Tinct: Chloroform et Morphin: Comp: ʒ x.
 Aq: ad ʒ i.
 Dose ʒ i.

MISTURA CINCCHONÆ ACIDA.

℞ Acid: Nit: dil: ʒ x.
 Tinct: Cinchon: Co: ʒ ss.
 Sp: Chloroform: ʒ xv.
 Aq: ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).**MISTURA COLCHICI ALKALINA.**

℞ Potass : Bicarb : gr. xx.
 Tinct : Colchici : ℥ x.
 Aq : Cassiæ : ad ʒ i.

Dose ʒ i.

MISTURA COLCHICI APERIENS.

℞ Tinct : Colchici : ℥ x.
 Mist : Albæ : ad ʒ i.

Dose ʒ i.

MISTURA COPAIBÆ COMPOSITA.

℞ Balsam : Copaib : ℥ xx.
 Acid : Sulph : dil : ℥ x.
 Mucilag : Acac : ʒ i.
 Inf : Rosæ : Acid : ʒ iv.
 Aq : ad ʒ i.

Dose ʒ i.

MISTURA CRETÆ AROMATICA.

℞ Pulv : Cret : Aromat : gr. xxx.
 Aq : ad ʒ i.

Dose ʒ i.

MISTURA DIAPHORETICA.

℞ Vin : Ipecac : ℥ x.
 Mist : Salin : ad ʒ i.

Dose ʒ i.

MISTURA DIURETICA.

℞ Potass : Acetat : gr. xx.
 Sp : Æth : Nit :
 Sp : Juniperi : āā ʒ ss.
 Infus : Scoparii : ad ʒ i.

Dose ʒ i.

MISTURÆ—(continued).

MISTURA ERGOTÆ CUM FERRO.

℞ Extract: Ergot: Liquid: ℥ x.
 Tinct: Ferri: Perehlor: ℥ x.
 Sp: Chloroform: ℥ xv.
 Liq: Quassiæ: Conc: 3 ss.
 Aq: ad 3 i.
 Dose 3 i.

MISTURA EXPECTORANS.

℞ Sod: Bicarb: gr. x.
 Potass: Nitrat: gr. v.
 Vin: Ipecac: ℥ xv.
 Tr: Camph: Co: ℥ xv.
 Aq: Camph: ad 3 i.
 Dose 3 i.

MISTURA FERRI ET ALOES.

℞ Decoc: Aloes: Co:
 Mist: Ferri: Comp: āā 3 iv.
 Dose 3 i.

MISTURA FERRI ACIDA.

℞ Ferri: Sulph: gr. ii.
 Magnes: Sulph: 3 i.
 Acid: Sulph: dil: ℥ x.
 Tinct: Capsici: ℥ ii.
 Sp: Chloroform: ℥ xv.
 Tinct: Cocci: ℥ ii.
 Aq: ad 3 i.
 Dose 3 i.

MISTURÆ—(continued).

MISTURA FERRI COMPOSITA (B. P.).

Dose $\frac{3}{4}$ i.

MISTURA FERRI ET AMMONII CITRATIS.

℞ Ferri : et Ammon : Cit : gr. v.

Syr : Aurant : $\frac{3}{4}$ ss.Aq : ad $\frac{3}{4}$ i.Dose $\frac{3}{4}$ i.

MISTURA FERRI OPIATA.

℞ Ferri : Sulph : gr. $\frac{1}{2}$.

Acid : Sulph : dil : ℥ iv.

Tr : Camph : Co : ℥ xx.

Sp : Chloroform : ℥ xv.

Aq : ad $\frac{3}{4}$ i.Dose $\frac{3}{4}$ i.MISTURA FERRI PERCHLORIDI COM-
POSITA.

℞ Acid : Nit : dil : ℥ x.

Tinct : Ferri : Perchlor : ℥ x.

Sp : Chloroformi : ℥ xv.

Aq : ad $\frac{3}{4}$ i.Dose $\frac{3}{4}$ i.MISTURA FERRI ET POTASSII CHLOR-
ATIS.

℞ Potass : Chlorat : gr. x.

Mist : Ferri : Perchlor : Co : $\frac{3}{4}$ i.Dose $\frac{3}{4}$ i.

MISTURÆ—(continued).**MISTURA FERRI ET QUININÆ CITRATIS.**

℞ Ferri : et Quin : Cit : gr. v.
 Syr : Aurant : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA FERRI ET STRYCHNINÆ.

℞ Liq : Strych : ʒ iii.
 Mist : Ferri : Perchlor : Co : ad ʒ i.
 Dose ʒ i.

MISTURA FERRI ET VALERIANÆ.

℞ Tinct : Valerian : Ammon : ʒ xxx.
 Mist : Ferri : et Ammon : Cit : ad ʒ i.
 Dose ʒ i.

MISTURA GENTIANÆ ALKALINA.

℞ Sod : Bicarb : gr. xv.
 Tinct : Gent : Comp : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA GENTIANÆ ACIDA.

℞ Acid : Sulph : dil : ʒ x.
 Sp : Chloroformi : ʒ xv.
 Tinct : Gent : Comp : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).**MISTURA GENTIANÆ CATHARTICA.**

℞ Sod : Sulph : ʒ i.
 Mist : Gent : Acid : ʒ i.
 Dose ʒ i.

MISTURA HYDRARGYRI PERCHLORIDI COMPOSITA.

℞ Potass : Iodid : gr. v.
 Liq : Hydrarg : Perchlor : ʒ i ss ($=\frac{1}{12}$ gr.).
 Sp : Vin : Rect : ℥ x.
 Tinct : Card : Co : ʒ ss.
 Aq : Destill : ad ʒ i.
 Dose ʒ i.

MISTURA IPECACUANHÆ AMMONIATA.

℞ Vin : Ipecac : ℥ x.
 Ammon : Carb : gr. v.
 Aq : Camph : ad ʒ i.
 Dose ʒ i.

MISTURA LOBELIÆ COMPOSITA.

℞ Acid : Nit : dil : ℥ x.
 Acet : Scillæ : ℥ xv.
 Tinct : Hyoseyam : ℥ xxx.
 Tinct : Lobel : Æther : ℥ x.
 Sp : Chloroform : ℥ xv.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).**MISTURA MAGNESII SULPHATIS ACIDÆ.**

℞ Acid : Sulph : dil : ℥ x.
 Sp : Chloroform : ℥ xv.
 Tinct : Capsici : ℥ ii.
 Magnes : Sulphat : gr. xx.
 Inf : Rosæ : Acid : ʒ iv.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA NUCIS VOMICÆ.

℞ Tinct : Nuc : Vom : ℥ v.
 Tinct : Card : Co : ʒ i.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA OLEI RICINI.

℞ Ol : Ricini : ʒ iv.
 Pulv : Acac : q : s :
 Aq : Cinnamon : ad ʒ i.
 Dose ʒ i.

MISTURA OLEI SANTALI.

℞ Ol : Santal : ℥ xv.
 Mucilag : q : s :
 Aq : Menth : Pip : ad ʒ i.
 Dose ʒ i.

MISTURA PARALDEHYDI.

℞ Paraldehyd : ʒ i.
 Glycerin : ℥ xl.
 Sp : Vin : Rect : ʒ ii.
 Aq : Cassiæ : ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).**MISTURA POTASSII CUM CALUMBÂ.**

℞ Potass : Bicarb : gr. xx.
 Sp : Ammon : Aromat : ʒ ss.
 Sp : Chloroform : ℥ xv.
 Tinct : Calumb : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA POTASSII BROMIDI.

℞ Potass : Bromid : gr. xv.
 Tinct : Aurant : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA POTASSII IODIDI.

℞ Potass : Iodid : gr. v.
 Tinct : Aurant : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA POTASSII IODIDI COMPOSITA.

℞ Potass : Iodid : gr. v.
 Sp. Ammon : Aromat : ʒ ss.
 Tinct : Cinchon : Co : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA PRO DIARRHŒA.

℞ Acid : Sulph : dil : ℥ xv.
 Sp : Chloroform : ℥ xv.
 Tinct : Opii : ℥ v.
 Aq : Camphor : ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).

MISTURA QUININÆ.

℞ Quin : Sulph : gr. i.
 Acid : Sulph : dil : ℥ iii.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA QUININÆ ET FERRI.

℞ Quin : Sulph : gr. ii.
 Ferri : Sulph : gr. ii.
 Acid : Sulph : dil : ℥ v.
 Sp : Chloroform : ℥ xv.
 Tinct : Aurant : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA QUININÆ CUM ACIDO HYDRO-
BROMICO.

℞ Quin : Sulph : gr. ii.
 Acid : Hydrobrom : dil : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA QUININÆ CUM HYOSCYAMO.

℞ Quin : Sulph : gr. ii.
 Acid : Sulph : dil : ℥ v.
 Tr : Hyoscyam : ℥ xxx.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).

MISTURA QUININÆ ET POTASSII IODIDI.

℞ Quin : Sulph : gr. ii.
 Acid : Sulph : dil : ℥ v.
 Potass : Iodid : gr. iii.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA RUBRA.

℞ Sacchar : Ust : ℥ xv.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA SALICINI.

℞ Salicin : gr. x.
 Tinct : Aurant : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA SALINA.

℞ Liq : Ammon : Acetat : ʒ ii.
 Potass : Niträt : gr. x.
 Sp : Æth : Nit : ℥ xxx.
 Aq : Camphoræ : ad ʒ i.
 Dose ʒ i.

MISTINE—(continued)

MISTURA QUININE ET POTASSII IODIDI.

℞ Quina : Sulph. gr. ii.
 Acid. Sulph. dil. ℥ ss.
 Potass. Iodid. gr. iii.
 Aq. ad ℥ i.
 Dose ʒ i.

MISTURA RHUBI.

℞ Rhubarb. Lat. in xss.
 Aq. ad ℥ i.
 Dose ʒ i.

MISTURA SALKINII.

℞ Salkin. gr. x.
 Tinct. Aconit. ʒ ss.
 Aq. ad ℥ i.
 Dose ʒ i.

MISTURA SALKINII.

℞ Salkin. gr. x.
 Tinct. Aconit. ʒ ss.
 Sp. Rhub. ʒ i.
 Aq. ad ℥ i.
 Dose ʒ i.

MISTURÆ—(continued).**MISTURA SENEGÆ COMPOSITA.**

℞ Ammon : Carb : gr. v.
 Sp : Æth :
 Tinct : Scillæ : āā ℥ xv.
 Liq : Seneg : Conc : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA SENNÆ COMPOSITA (B. P.).

Dose ʒ i.

MISTURA SCILLÆ COMPOSITA.

℞ Liq : Ammon : Acetat : ʒ i.
 Vin : Ipecac :
 Tinct : Scillæ : āā ℥ x.
 Tinct : Camph : Co : ʒ ss.
 Aq : ad ʒ i.
 Dose ʒ i.

MISTURA SODII SALICYLATIS

℞ Sod : Salicyl : gr. x.
 Potass : Citrat : gr. xx.
 Tinct : Aurant : ʒ ss.
 Aq : Destill : ad ʒ i.
 Dose ʒ i.

MISTURÆ—(continued).

MISTURA STOMACHICA.

℞ Pulv: Rhei: gr. v.
 Sod: Bicarb: gr. x.
 Sp. Ammon: Aromat: ℥ xxx.
 Tinct: Gent: Co: ʒ ss.
 Aq: ad ʒ i.
 Dose ʒ i.

PIGMENTA.

PIGMENTUM ACIDI CHROMICI.

℞ Acid: Chromic: gr. x.
 Glycerin: ʒ ii.
 Aq: ad ʒ i.

PIGMENTUM COLLODII COMPOSITUM.

℞ Acid: Salicyl: ʒ ii.
 Ext: Cannabis: Ind: gr. xvi.
 Collod: Flex: ʒ i.

PIGMENTUM FERRI.

℞ Tinct: Fer: Perchlor:
 Glycerin: āā ʒ iv.

PIGMENTA—(continued).**PIGMENTUM IODI.**

℞ Liq: Iodi: fort:
 Tinct: Iodi: āā ʒ iv.

PIGMENTUM MENTHIS.

℞ Ol: Menth: Pip: ʒ iii.
 Iodi: gr. vii.
 Potass: Iodid: gr. xv.
 Glycerin: ad ʒ i.

*PILULÆ.***PILULA ALOES ET MYRRHÆ: gr. v (B. P.).**

For one pill.

PILULA ARGENTI NITRATIS.

℞ Argent: Nitrat: gr. ½.
 Pulv: Glycyrrhiz:
 Ext: Gentian: āā gr. ii.
 For one pill.

PILULÆ—(continued).**PILULA BISMUTHI ET CREASOTI COM-
POSITA.**

℞ Bismuth : Subnitrat : gr. v.
 Pulv. Opii : gr. $\frac{1}{4}$.
 Creasoti : ℥ ss.
 Glycerin : Tragacanth : q : s :
 For one pill.

PILULA BUTYL-CHLORAL.

℞ Butyl : Chloral : gr. iv.
 Glycerin : Tragacanth : q : s :
 For one pill.

PILULA CALCIS SULPHURATÆ.

℞ Calc : Sulphurat : gr. ss ;
 Ext : Glycyrrhiz : q : s ;
 For one pill.

**PILULA COLOCYNTHIDIS COMPOSITA :
gr. v (B. P.).**

For one pill.

**PILULA COLOCYNTHIDIS ET HYDRARG-
YRI SUBCHLORIDI.**

℞ Hydrarg : Subchlor : gr. i.
 Pil : Colocynth : Co : gr. iv.
 For one pill.

PILULÆ—(continued).**PILULA COLOCYNTHIDIS ET HYOSCYAMI:**
gr. v (B. P.).

For one pill.

PILULA DIGESTIVA.

℞ Pulv : Ipecac : gr. $\frac{1}{8}$.
 Sod : Carb : gr. i.
 Ext : Rhei : gr. i.
 Ext : Anthemid : gr. ii.
 Ol : Anthemid : ℥ $\frac{1}{4}$.

For one pill.

PILULA DIGITALIS COMPOSITA.

℞ Pulv : Digital : gr. $\frac{1}{2}$.
 Pulv : Scill : gr. i.
 Pil : Hydrarg : gr. iii.

For one pill.

PILULA FERRI : gr. v (B. P.).

For one pill.

PILULA FERRI REDACTI COMPOSITA.

℞ Ferri : Redacti : gr. iii.
 Quin : Sulph : gr. i.
 Pulv : Glycyrrhiz : gr. i.
 Balsam : Peruv : q : s :

For one pill.

PILULÆ—(continued).**PILULA FERRI CUM RHEO.**

℞ Ferri : Redacti : gr. iv.
 Pulv : Rhei : gr. i.
 Balsam : Peruv : q : s :
 For one pill.

PILULA HYDRARGYRI : gr. v (B. P.).

For one pill.

PILULA HYDRARGYRI ET RHEI.

℞ Pil : Hydrag : gr. i ss.
 Pil : Rhei : Co : gr. iii ss.
 For one pill.

PILULA HYDRARGYRI CUM CRETÂ COMPOSITA.

℞ Hyd : c Cret : gr. ii.
 Pulv : Ipecac : Comp : gr. i.
 Glycerin : q : s :
 For one pill.

PILULA HYDRARGYRI SUBCHLORIDI CUM OPIO.

℞ Hydrarg : Subchlor : gr. i.
 Pulv : Opîi : gr. $\frac{1}{2}$.
 Pulv : Glycyrrhiz : gr. ii.
 Glycerin : q : s :
 For one pill.

PILULA IPECACUANHÆ CUM SCILLÂ
gr. v (B. P.).

For one pill.

PILULÆ—(continued).*PILULA NUCIS VOMICÆ CATHARTICA.*

℞ Ext : Nuc : Vom : gr. $\frac{1}{4}$.
 Pil : Colocynth et Hyoscyam : gr. ii.
 Pil : Rhei : Comp : gr. i.
 Pulv : Glycyrrhiz : gr. ii.
 For one pill.

PILULA NUCIS VOMICÆ ET ALOES.

℞ Ext : Nuc : Vom : gr. $\frac{1}{3}$.
 Ext : Belladonn : gr. $\frac{1}{3}$.
 Pil : Aloes et Myrrh : gr. iv.
 For one pill.

PILULA PODOPHYLLI COMPOSITA.

℞ Resin : Podophyll : gr. $\frac{1}{4}$.
 Aloin : gr. ii.
 Pil : Rhei : Co. : gr. i.
 For one pill.

PILULA PLUMBI CUM OPIO : gr. iii (B. P.).

For one pill.

PILULA QUININÆ COMPOSITA.

℞ Quin : Sulph : gr. i.
 Ferr : Tart : gr. iii.
 Morph : Hydrochlorat : gr. $\frac{1}{12}$.
 Conf : Rosæ : q : s :
 For one pill.

PILULÆ—(continued).

PILULA RHEI COMPOSITA : gr. v (B. P.).

For one pill.

PILULA ZINCI OXIDI CUM BELLADONNÂ.

℞ Zinc : Oxid : gr. ii.
 Ext; Belladonn : gr. $\frac{1}{4}$.
 Glycerin : Tragacanth : q : s :
 For one pill.

PULVERES.

PULVIS ACIDI BORICI (B. P.).

PULVIS BISMUTHI COMPOSITUS.

℞ Morph : Hydrochlor : gr. ii.
 Pulv : Acaciæ : 3 ii.
 Bismuth : Subnitrat : 3 vi.
 To be used as a snuff.

PULVIS CAFFEINÆ COMPOSITUS.

℞ Antifebrin : gr. iii.
 Caffein : gr. i.
 Sod : Bicarb : gr. i.
 Dose gr. v.

PULVIS GLYCYRRHIZÆ COMPOSITUS
 (B. P.).

Dose 3 i to 3 ii.

PULVIS HYDRARGYRI SUBCHLORIDI
 (B. P.).

Dose gr. $\frac{1}{2}$ to v.

PULVERES—(continued).

PULVIS IODOFORMI (B. P.).

PULVIS JALAPÆ COMPOSITUS (B. P.).

Dose gr. xx. to ʒ i.

PULVIS LOBELIÆ COMPOSITUS (Martindale).

To be burnt on a plate, the fumes to be inhaled.

PULVIS MENTHOL COMPOSITUS.

℞ Cocain : Hydrochlor : gr. i ss.

Menthol : gr. i ss.

Acid Boric : gr. 97.

To be used as a snuff.

PULVIS PRO PEDIBUS.

℞ Acid : Salicyl :

Acid : Boric : āā ʒ iv.

PULVIS RHEI COMPOSITUS (B. P.).

Dose gr. xx to ʒ i.

PULVIS SANTONINI.

Dose gr. ii to v.

PULVIS ZINCI ET HYDRARGYRI SUB-
CHLORIDI.

℞ Zinc : Oxid : ʒ vi.

Hydrarg : Subchlor : ʒ ii.

SYRUPUS.

SYRUPUS CHLORAL (B. P.).

Dose ʒ ss to ʒ ii.

SYRUPUS FERRI IODIDI (B. P.).

Dose ʒ ss to ʒ i.

SYRUPUS FERRI PHOSPHATIS COM-
POSITUS (B. P. C.).

Dose ʒ i ad ʒ ii.

SYRUPUS FERRI PHOSPHATIS C QUININÂ
ET STRYCHNINÂ (B. P. C.).

Dose ʒ i ad ʒ ii.

SYRUPUS HYPOPHOSPHITIS COMPOSI-
TUS (B. P. C.).

Dose ʒ i ad ʒ ii.

TABELLÆ.

TABELLA ANTIPYRINI: gr. v.

TABELLA CASCARÆ SAGRADÆ: gr. ii.

TABELLA GUAIACI ET SULPHURIS: āā
gr. iii.

TABELLÆ—(continued).

TABELLA HYDRASTINÆ COMPOSITA.

TABELLA PHENACETINI: gr. v.

TABELLA POTASSII CHLORATIS ET
BORACIS ET COCAINÆ.

TABELLA SALOL: gr. v.

TABELLA SULPHONAL: gr. v.

TABELLA TRINITRINI: gr. $\frac{1}{100}$ (B. P.).

TROCHISCI.

TROCHISCUS ACIDI TANNICI (B. P.).

TROCHISCUS BISMUTHI COMPOSITUS
(B. P.).

TROCHISCUS CHLOROFORMI COMPOSITUS.

℞ Tinct: Chloroform et Morph: Co: ℥ ii.

Tinct: Capsici: ℥ $\frac{1}{4}$.

Ol: Menth: Pip:

Sacchar:

Glycyrrhiz: āā: q: s:

To form a lozenge.

TROCHISCUS GUALIACI (B. P.).

TROCHISCUS KRAMERIÆ (B. P.).

TROCHISCUS POTASSII CHLORATIS (B. P.).

TROCHISCI—(continued).**TROCHISCUS PRO TUSSI.**

℞ Pulv : Scill : gr. $\frac{1}{4}$.
 Morph : Hydrochlor : gr. $\frac{1}{16}$.
 Pulv : Ipecac : gr. $\frac{1}{8}$.
 Mix with the Tolu basis to form a lozenge.

UNGUENTA.

UNGUENTUM ACIDI BORICI (B. P.).

UNGUENTUM ACIDI CARBOLICI (B. P.).

UNGUENTUM ACIDI SALICYLICI (B. P.).

UNGUENTUM ATROPINÆ (B. P.).

UNGUENTUM BELLADONNÆ (B. P.).

UNGUENTUM CHRYSAROBINI (B. P.).

UNGUENTUM COCAINÆ (B. P.).

UNGUENTUM CREASOTI (B. P.).

UNGUENTUM GALLÆ CUM OPIO (B. P.)

UNGUENTUM GLYCERINI PLUMBI SUB-
 ACETATIS (B. P.).

UNGUENTA—(continued).

UNGUENTUM HAMAMELIDIS (B. P.).

UNGUENTUM HYDRARGYRI (B. P.).

UNGUENTUM HYDRARGYRI AMMONIATI
(B. P.).

UNGUENTUM HYDRARGYRI NITRATIS
(B. P.).

UNGUENTUM HYDRARGYRI NITRATIS
COMPOSITUM.

R Ung : Hyd : Nit : dil :
 Ung : Sulph :
 Ung : Acid : Carbolic : partes æquales.

UNGUENTUM HYDRARGYRI NITRATIS
DILUTUM (B. P.).

UNGUENTUM HYDRARGYRI OLEATIS
(B. P.).

UNGUENTUM HYDRARGYRI OXIDI FLAVI
(B. P.).

UNGUENTUM HYDRARGYRI OXIDI RUBRI
(B. P.).

UNGUENTUM HYDRARGYRI SUBCHLOR-
IDI (B. P.).

UNGUENTA—(continued).

UNGUENTUM ICHTHYOLIS.

℞ Ichthyol :
 Lanolin : partes æquales.

UNGUENTUM IODI (B. P.).

UNGUENTUM IODIFORMI (B. P.).

UNGUENTUM PICIS LIQUIDÆ (B. P.).

UNGUENTUM PLUMBI IODIDI (B. P.).

UNGUENTUM POTASSII IODIDI (B. P.).

UNGUENTUM PRO ALOPECIÂ.

℞ Resorcin :
 Sulph : Præcip :
 Acid : Salicyl : āā ʒ i.
 Ung : Paraffin : ad ʒ i.

UNGUENTUM RESINÆ (B. P.).

UNGUENTUM SULPHURIS (B. P.).

UNGUENTUM ZINCI (B. P.)

UNGUENTUM ZINCI OLEATIS (B. P.).

VAPORES.

VAPOR BENZOINI.

℞ Tinct: Benzoini: Co:

Add ʒ i to half a pint of boiling water, the vapour to be inhaled.

VAPOR CREASOTI.

℞ Creasot: ʒ ii.

Mag: Carb: Lev: ʒ ss.

Aq: ad ʒ i.

Add ʒ i to half pint of boiling water, the vapour to be inhaled.

VAPOR IODI.

℞ Tinct: Iodi: ʒ iv.

Aq: ad ʒ i.

Add ʒ i to half a pint of boiling water, the vapour to be inhaled.

VAPOR PINI SYLVESTRIS.

℞ Ol: Pini: ℥ xl.

Mag: Carb: Lev: gr. xx.

Aq: ad ʒ i.

Add ʒ i to half a pint of boiling water, the vapour to be inhaled.



